Wor	k O	rder	ID	54	751
****	$\mathbf{x} \cdot \mathbf{y}$	uvi	11/	~~	



Page 1

Insp.

Number Stamp

Reject

December 21, 2009 9:01:59 AM

Item ID: Revision ID:	D3575-1			Accept				\$	-	Start
Item Name:	Cabin Floor P	rotector				-			9	Stop
Start Date: Required Date:	12/21/09 12/31/09	Start Qty: 4.00 Req'd Qty: 4.00			Cust Item I Customer:	D:				
Reference: Approvals:	Process Pla	\ \	Date:	Tooling:	D:	ate:		I		Start
	QC:		Date:	SPC (Y/N):	Da	ate:				Stop
Sequence ID/ Work Center II		Operation Description		Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Rejec Qty	:t
Draw Nbr	Rev	ision Nbr		<u> </u>						
D3575	Rev	A								
100 Waterjet FLOW CNC Waterj	et	FLOW WATER JET Memo 1-Cut as per Deburr if ne	Dwg D3575 [IDwg Rev:	0.00	(2-			B	10-1	-14
110 QC Quality Control		QC2- Inspect parts off m	achine FAI/FAIB	0.00				图19	2- <u>1-1</u>	<u>-</u> (

120

QC

QC8- Inspect parts - second check

Memo

2) Siolochy

0.00

Quality Control

(44)

Dart Aerospace Ltd	
---------------------------	--

W/O:		WORK ORDER CHANGES	WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector				
Part No):	PAR #: Fault Category: NC	R: Yes	No DQ	A:	Date: _					

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B	 3	Verification	Ammuousi	Anneousl
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto
						·		

NOTE: Date & initial all entries

Work Order ID 54751

December 21, 2009 9:02:01 AM



Page 2

Item ID:

D3575-1

Accept

Setup Start

Stop



Revision ID:

Item Name:

Cabin Floor Protector

Start Date:

Required Date: 12/31/09

12/21/09

Start Qty: 4.00

Req'd Qty: 4.00



Date:_____

Cust Item ID:

Customer:

Draw

Number

Reference:

Approvals:

Process Plan:

Date:

Tooling:

0.00

SPC (Y/N):

Date:

Date:

Draw

Rev.

Plan

Code

Reject

Qty

Insp.

QC:

Sequence ID/ **Work Center ID**

Small Fab

Small Fab

Operation Description

Small Fab

Memo

Deburr if necessary.

Set Up/ **Run Hours**

Run

Start

Stop

Reject

Number Stamp

140

QC

Quality Control

QC5- Inspect part completeness to step on W/O

2) Siolalis 0.00

Accept

Qty

Packaging

150 Packaging Identify as per dwg & Stock Location:

Memo

Memo

0.00

0.00

/2 1/. 1/18 (4)

Dart Aerospace Ltd

W/O:		WORK ORDER CHAN	WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector		
Part No):	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:			

Resolution: _____ Disposition: ____ QA: N/C Closed: ____ Date: ____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section I	3	Verification	Ammunual				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			
					1						
					Ì						
NOTE	ate & initial al	I optrion					L	-			

Item ID:

D3575-1

Accept



Setup Start



Revision ID:

Item Name: **Start Date:**

Cabin Floor Protector

12/21/09 Start Qty: 4.00

Req'd Qty: 4.00



Cust Item ID:

Customer:

Reference:

Approvals:

Required Date: 12/31/09

Tooling:

Date:

Start

Run

Stop



Process Plan:

QC:

Date: Date:

SPC (Y/N):

Date:

Stop

Reject

Qty

Sequence ID/

Work Center ID

Operation **Description**

Set Up/ Run Hours

Draw Draw Number Rev.

Plan Code

Accept Qty

Reject Number Stamp

160

Memo

QC21- Final Inspection - Work Order Release

0.00

0.00

MF 10-1-15

Quality Control

Dart Aerospace Ltd

W/O:	N/O:			WORK ORDER CHANGES						
DATE	STEP		PROC	CEDURE CHANGE		Ву	By Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			•							
Part No):		PAR #:	_ Fault Category:	NCR:	Yes	No DQ	A:	Date: _	
Resolution:			Disposition: G			QA: N/C Closed:				

NCR:		WORK ORDER NON-CONFORMANCE (NCR)										
		Description of NC		Corrective Action Section B	Verification	Approval	Annroyal					
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector				
								-				
					-							
						-1						
								ļ.				
NOTE: D	ate & initi	al all entries										

Picklist Print

December 21, 2009 9:01:58 AM

Work Order ID: 54751

Parent Item:

D3575-1

Parent Item Name: Cabin Floor Protector

Comments:



Start Date: 12/21/09

Required Date: 12/31/09

Start Qty: 4.00

Required Qty: 4.00

Component Item ID/
Item Name

Replacement Mfg/ Item ID

Purch

Bin Primary Item Location Last Location

Route Seq ID

sf

100

Unit of Measure Hand

Qty on Remaining

Qty To Pick Issued

Date Issued

Status

MLEXS.125-F60029-04

Purchased No

GE PLASTICS LEXAN SHEET

1,989.831 44.9095

B 10-1-14

<u>Warehouse</u>	Loc Qty	Loc Code	
Location			
Main Warehouse			
MAT	1989.831798		
103106	1.6765		
105330	47.8767		
109455	40.5717		
111710	329.893632		
112585	1569.81327		112585



Dart Aerospace Ltd

	Topass —											
W/O:			WO	WORK ORDER CHANGES								
DATE	STEP	PRO	OCEDURE CHAN	IGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
			1.41									
				·								
		PAR #:	Fault Categ	jory:	NCR: Yes	R: Yes No DQA: Date:						
	Reso	olution:	:	QA: N/C C	losed:		Date: _					
NCR:			WORK ORDE	R NON-CONFORMA	NCE (NCI	₹)						
DATE	STEP	Description of NC	Corrective Action Section B			Verifi	cation	Approval	Approval			
		Section A	Initial Chief Eng	Action Description Chief Eng	Sign of Date	Section C		Chief Eng	QC Inspector			
						`						
							·					

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	54.75
Description: Cabin Floor Protector	Part Number:	D3575-1
Inspection Dwg: D3575 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article	Prototype
-----------------	-----------


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	3.005	*		•	
1.00	+/-0.030	000,1	3			
3.50	+/-0.030	3,50	10			
16.00	+/-0.030	16.00	×			
23.13	+/-0.030	2313	<u>N</u>			
26.88	+/-0.030	36.88	×			
27.69	+/-0.030	27.69	25			
4.25	+/-0.030	4.28	عد			
9.63	+/-0.030	4.63	*			
16.13	+/-0.030	16.13	*			
28.06	+/-0.030	28.06	>			
32.15	+/-0.030	32,15	ø			
2.00	+/-0.030	2.00	2			
3.50	+/-0.030	3,50	×			
14.25	+/-0.030	14.25	y			
25.13	+/-0.030	25.13	≽			
29.38	+/-0.030	24.38	74			
30.13	+/-0.030	30.13	مل			
1.25	+/-0.030	1.75	8	-		
3.38	+/-0.030	3.38	>			
5.00	+/-0.030	5.00	λ			
6.50	+/-0.030	6.50	ð			
26.13	+/-0.030	26.13	کھ ا			_
31.50	+/-0.030	31.50	<i>>></i>			

Measured by: 🙊	Audited by:	Prototype Approval:	N/A
Date: 10-1-14	Date: 10/01/14	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	08.02.29	New Issue	KJ/DD 🚓	N/Z



DESIG		DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CAN	
CHEC	KED .	APPROVED	DRAWING NO. D3575	REV. A SHEET 1 OF 4
DATE			TITLE	SCALE
07.0	06.08		CABIN FLOOR PROTECTOR	1:8
 Α		07.06.09	NEW ICCLIE	




NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8966

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- CHECK PER TEMPLATE DT8967

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN.	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CA	
CHECKED	APPROVED,	DRAWING NO.	REV. A
LE	- A	D3575	SHEET 3 OF 4
DATE		TITLE	SCALE
07.06.08		CABIN FLOOR PROTECTOR	1:8



D3575-4 CABIN FLOOR PROTECTOR

NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8968

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN.	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CA	
CHECKED	APPROVED ##	DRAWING NO.	REV. A
LE	H	D3575	SHEET 4 OF 4
DATE		TILE	SCALE
07.06.08		CABIN FLOOR PROTECTOR	1:8



NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8969

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.